

Patented technologies for water treatment and saving

Catalogue 2023

THE BASIC SOURCE OF LIFE

Water is the basic source of life. Even if it is not traded on the stock exchange, we probably do not exaggerate when we say that water is the most precious commodity. Our goal is to protect this precious fluid and bring it to our customers in the best quality.

let the Water Flow



Ondřej Sochor Partner – CEO Swiss Aqua Technologies AG

Water together with air, resp. Earth's atmosphere, form the basic conditions for the existence of life on Earth. Most of the Earth's surface (71%) is covered by the salt water of the seas and oceans, which make up 97% of the entire water on our planet.

It might seem that we already know everything about water, but in recent decades a number of revolutionary findings have emerged that completely change the perception of water from a chemical formula to a rather living organism. These are the results of research by Professor Masaru Emoto (water perceives emotions), Gerald H. Pollack (4th state of water), Viktor Schauberger (water is a living organism), M. V. Kurik (water energy) or L. Montagnier (water has memory).

Our technologies use a tiny part of this new knowledge and we are constantly working to get to know water better and better, and we are implementing this new knowledge into future generations of our products. If our catalog or our products inspire you to read or view something about water on the Internet, then our work made sense.







Swiss Aqua Technologies

About SAT	6 - 7
Technologies	8 - 9
Contacts	142
Certificates & Awards	143

5

Taps			28 - 45		W.
Dark	30	Evolution	42	1	
B-Way	36	Project	44	4	
Fusion	38				
Shower systems			46 - 53		
With thermostatic mixer	48	Showers	52	The state of the s	
With lever mixer	50	Head showers	53		100 100
Without mixer	51				(e)
Bathtubs			54 - 75		
Classic bathtubs	56	Bathtub accessories	70		
Freestanding bathtubs	60	Bathtub screens	72		
Shower enclosures			76 - 103	d.	
Walk-In	78	Top Glass New	92	TIL	
Walk-In Xmotion	82	Stream	94	-	
Tex	84	Folding shower door	96		
Shower door Tex	88	Cast marble trays	98	S. S. Land	1
T-Linea	90	Shortenable shower trough	102		
Washbasins and to	ilets		104 - 117		8
Brevis	106	Pre-wall installation system	116		
Cemento	108	Flush plates	116		100
Infinitio	110	Accessories	117		
Bidet seat	115				1 114
Bathroom accessor	ies		118 - 139		
Evolution R	120	Mood	129		
Evolution S	121	Adhesive hooks	130		
Simply R	122	Sensor soap dispensers	130		
Simply R PVD gun metal	123	Freestanding accessories Inf	finitio 131		
Simply S	124	Freestanding accessories	132		
B-Way R	125	Shower shelves	134		
B-Way S	126	Universal accessories	136	5	6
Cube Way	127	Infinitio bath mats	138		
Project	128	Laundry baskets	139		



About SAT

Swiss Aqua Technologies AG (SAT) is a company based in Cham, Switzerland. It consists of a team of engineers and scientists involved in the nearly two decades of product development in order to improve water quality, to save water with an emphasis on health effects and environmental impacts. The results are revolutionary solutions in a unique systems like IPS – Ion Polarization System, OFS – Optim Flush System or WCS – Water Care System.

IPS products are allready being sold to many countries all over the world, like USA, Mexico, Thailand, China, Israel and many others.

Our logistics partner for the expedition to Europe, America and Africa is SIKO. With 30,000 m² of storage space, 100,000 pallet places and 50 trucks loaded / unloaded every day, SIKO is the perfect partner for fast and reliable shipments worldwide.



Research and development

- Own team of engineers and scientists
- International cooperation

Sales Aqua Technologies

• Technical support department




We cooperate with the following companies on the development and production of SAT brand products:

















Production

- International certification of production
- High level of automation
- Top quality control

Patented products

- Toilets and flushing systems
- Physical water treatment systems
- Multifunctional shower systems





Modern storage space

- Storage space 30 000 m²
- 100 000 pallet places
- 50 trucks every day











Technologies

Our solutions bring the required quality of drinking and utility water through its physical adjustment and thus to maximize the use of its positive properties.

"Water is not just H₂O, but a living organism with its own laws that people must respect. It hides similar secrets as the blood in the human body, it fulfills functions in nature that justify talking about it as the blood of the Earth. It is a living substance that is born and continues to develop and, under normal circumstances, passes into higher forms of energy. We should allow it to move in its natural environment and to develop in it."

Viktor Schauberger



Water Improvement

IPS is an ecological way of water treatment using natural (physical) laws. The device operates on the principle of "wet galvanic cell". The use of IPS is appropriate and efficient where the water shows medium, high to very high hardness.



let the Water Flow



Water Saving

OFS is unique system how to flush toilet using pressure which is taken from the pipes. The pressured air with water is stored in the tanks inside toilet, ready to be released when needed. The result is very efficient and silent flush, that can never be reached by using gravitation flushing.





Water Care

WCS products use the power of the water to spin while flowing through turbine. Our products transform this energy in order to rotate elements on hand shower – that can help you to do your pedicure, peeling or massage in a very gentle way. No external energy is needed, just let the water flow.






Ion Polarization System

The physical-galvanic water treatment






A new revolutionary system for preventing limescale and removing existing limescale from water heaters, pipes, mixers, showers and all equipment through which water flows with certified efficiency up to 76%. IPS use energy of spinning water and electrodes creating a galvanic potential 0.8 – 1.0 V.



- · Changes hard calcite to soft aragonite.
- Reduces the need to de-scale tankless heaters, mixers, showers.
- Doesn't restrict household water pressure.
- Connects directly to copper, CPVC or PVC pipe.
- · Adapts easily for PEX and other pipe types.
- Environmentally friendly and chemical-free.
- · No electricity required.
- Easy-to-install and maintenance-free.
- Extends the life and efficiency of new and existing water heaters, mixers, showers, etc.
- Certified for long-term contact with drinking water.



PATENT PROTECTED

Ion Polarization System

effective protection against corrosion and scale formation

Ion Polarization System (IPS) is designed for the physical-galvanic water treatment for households, public buildings and industrial plants. IPS is suitable for new pipelines for prevention, but also for the old ones, where it gradually removes existing deposits.

How the IPS works



IPS effectively prevents the formation of solid sediments and corrosion in cold and hot water appliances. IPS is a flow-through body with inside placed turbine-shaped electrodes of two different electrically conductive materials. The electrode design is patent-protected (TGP® – Turbulent Galvanic Polarization) and generates a swirling water flow, causing a change in the structure of the minerals.

Physical propensity at 50.0 µm level

Changes in calcium carbonate crystal when using IPS (increased to 50.0 μ m). Water marked 0 is without the use of IPS. Water 1, 2 and 3 flowed through the IPS. The photos show changes in the crystal structure.

Hardened water







2



3

IPS efficiency comparison

Water heater after 12 months Flow heater spiral after 6 months **Tap aerator** after 6 months

Without water treatment















IPS KalyxX your best defence against limescale

IPS Kalyxx is a flow-through body with inlet and outlet ports. Inside are placed turbine-shaped electrodes (not magnets) of two different electrically conductive materials.

IPS KalyxX is suited for both traditional tank and tankless water heaters in areas with moderate to severe hard water. It's an inexpensive way to protect their investment, easy to install, and a great value. IPS KalyxX is designed to fit directly on the male NPT/G inlet of any residential water heater. Without a IPS KalyxX installed, tankless heaters must be flushed and cleaned with chemicals every one to three years to function properly.

IPS Products











IPS KalyxX

Reduction of limescale formation with efficiency up to 76%



IPS KalyxX protects your home from limescale buildup. It requires no power supply, batteries, chemicals or filters.

IPS KalyxX uses a patented Turbulent Galvanic Polarization (TGP®) electrode to disrupt the formation of limescale crystals on water heaters, showers, thermostatic cartridges, taps, etc. In side-by-side comparison testing, IPS KalyxX was four times more effective than the leading electronic or magnetic scale devices. IPS KalyxX is easy to install and maintenance free.

- Connection: Female NPT/G x Female NPT/G
- Patented Discs Composition
- Maximum Flowrate: up to 7 m³/h*
- Material: Stainless Steel
- Pipe Type: Copper, CPVC, PVC, PEX
- Maximum Pressure Drops: 43 Pa 692 Pa*
- Operating Temperature (inlet): 0 °C to 95 °C
 (Optimal temperature for maximum efficiency Min/Max (inlet): 0 °C to 60 °C)






^{*} depends on model

IPS KalyxX RedLine


- Reduces creation of limescale on water supply elements (pipework, valves, taps, shower heads, waterheating coils of home appliances)

 efficiency of 76%.
- New Patented technology TGP® Turbulent Galvanic Polarisation – no chemicals, no external energy.
- · Suitable for cold (drinking) and hot water.
- NRL Certificate for direct permanent contact with drinking water.
- Health safety product each part of IPS is made from material suitable for contact with drinking water.

- Safe product Verified Hydraulic Properties.
- TSU test report about Presure drop, Pressure resistance and Strength.
- Durable body (Stainless steel 1.4301) and internal parts – 2 years warranty, works at least 10 year without any maintenance.



Pressure loss IPS KalyxX RedLine



Technical parameters



IPS KalyxX Model	Connection	Diameter (mm)	Length (mm)	Weight (g)	Max Pressure (Bar / MPa)	Max Flow (m³/hour)	Pressure Drop at Max Flow (mBar / Pa)
RedLine 1/2" IPSKXRG12	G 1/2" (female)	Ø50	245	910	10 / 1	1	0,4416 / 44,16
RedLine 3/4" IPSKXRG34	G 3/4" (female)	Ø50	245	890	10 / 1	3,2	4,38 / 437,78
RedLine 1" IPSKXRG1	G 1" (female)	Ø50	251	930	10 / 1	4	6,92 / 692,03
RedLine 5/4" IPSKXRG54	G 5/4" (female)	Ø50	480	2 400	10 / 1	5	13,84 / 1 384,06
RedLine 6/4" IPSKXRG64	G 6/4" (female)	Ø50	480	2 500	10 / 1	7	13,84 / 1 384,06

Water Improvement



IPS KalyxX **BLUE LINE**



IPS KalyxX protects your home from limescale buildup. It requires no power supply, batteries, chemicals or filters.

IPS KalyxX uses a patented Turbulent Galvanic Polarization (TGP®) electrode to disrupt the formation of limescale crystals on water heaters, showers, thermostatic cartridges, taps, etc. In side-by-side comparison testing, IPS KalyxX was four times more effective than the leading electronic or magnetic scale devices. IPS KalyxX is easy to install and maintenance free.

- Connection: Female NPT/G x Female NPT/G
- **Patented Discs Composition**
- Maximum Flowrate: up to 7 m³/h*
- Material: Stainless Steel
- Pipe Type: Copper, CPVC, PVC, PEX
- Maximum Pressure Drops: 43 Pa 692 Pa*
- Operating Temperature (inlet): 0 °C to 95 °C (Optimal temperature for maximum efficiency Min/Max (inlet): 0 °C to 60 °C)




IPS KalyxX BlueLine


- Reduces creation of Limescale on water supply elements (pipework, valves, taps, shower heads, waterheating coils of home appliances)

 efficiency of 76%.
- Reduce the amount of Escheria Coli bacteria up to 40% (thanks to silver electrodes).
- New Patented technology TGP® Turbulent Galvanic Polarisation – no chemicals, no external energy.
- Suitable for cold (drinking) and hot water.
- NRL Certificate for direct permanent contact with drinking water.
- Health safety product each part of IPS is made from material suitable for contact with drinking water.

- Safe product Verified Hydraulic Properties.
- TSU test report about Presure drop, Pressure resistance and Strength.
- Durable body (Stainless steel 1.4301) and internal parts – 2 years warranty, works at least 10 year without any maintenance.



Pressure loss IPS KalyxX BlueLine



Technical parameters



IPS KalyxX Model	Connection	Diameter (mm)	Length (mm)	Weight (g)	Max Pressure (Bar / MPa)	Max Flow (m³/hour)	Pressure Drop at Max Flow (mBar / Pa)
BlueLine 1/2" IPSKXBG12	G 1/2" (female)	Ø50	245	910	10 / 1	1	0,4405 / 43,05
BlueLine 3/4" IPSKXBG34	G 3/4" (female)	Ø50	245	890	10 / 1	3,2	4,29 / 429,08
BlueLine 1" IPSKXBG1	G 1" (female)	Ø50	251	930	10 / 1	4	6,68 / 668,76
BlueLine 5/4" IPSKXBG54	G 5/4" (female)	Ø50	480	2 400	10 / 1	5	13,36 / 1 337,52
BlueLine 6/4" IPSKXBG64	G 6/4" (female)	Ø50	480	2 500	10 / 1	7	13,36 / 1 337,52

Water Improvement



IPS KalyxX GREEN LINE

Designed for irrigation systems and technologies



IPS KalyxX protects your home from limescale buildup. It requires no power supply, batteries, chemicals or filters.

IPS KalyxX uses a patented Turbulent Galvanic Polarization (TGP®) electrode to disrupt the formation of limescale crystals on water heaters, showers, thermostatic cartridges, taps, etc. In side-by-side comparison testing, IPS KalyxX was four times more effective than the leading electronic or magnetic scale devices. IPS KalyxX is easy to install and maintenance free.

- Connection: Female NPT/G x Female NPT/G or Female NPT/G x Garden hose guick connector
- **Patented Discs Composition**
- Maximum Flowrate: up to 4 m³/h*
- Material: Stainless Steel
- Pipe Type: Copper, CPVC, PVC, PEX
- Maximum Pressure Drops: 43 Pa 692 Pa*
- Operating Temperature (inlet): 0 °C to 35 °C
 (Optimal temperature for maximum efficiency Min/Max (inlet): 0 °C to 60 °C)







IPS KalyxX GreenLine

- Reduces scale formation in irrigation systems and water distribution efficiency up to 76%.
- Reduces traces of dried minerals after washing cars or other equipment.
- New Patented technology TGP® Turbulent Galvanic Polarisation – no chemicals, no external energy.
- Safe product proven hydraulic properties.
- Protocol TSU on pressure drop, pressure resistance and strength.
- Durable body (stainless steel 1.4301) and internal components.
- 2-year warranty, life time for at least 10 years.
- No maintenance or filter replacement required.
- Designed for garden irrigation systems and water distribution.
- Suitable for gardens, public parks, football turf, golf courses, hydroponics, growing fruits and vegetables, watering animals.



Garden grill washed without IPS KalyxX GreenLine.



Garden grill washed with IPS KalyxX GreenLine.







Technical parameters

IPS KalyxX Model	Connection	Diameter (mm)	Length (mm)	Weight (g)	Max Pressure (Bar / MPa)	Max Flow (m³/hour)	Pressure Drop at Max Flow (mBar / Pa)
GreenLine3/4" IPSKXGG34	G 3/4" (female) Garden Hose Quick Connector	Ø50	255	830	10 / 1	1,5	0,3 / 30

Water Improvement



IPS KalyxX

Reduction of limescale formation for use in systems with higher water flow



IPS KalyxX protects your home from limescale buildup. It requires no power supply, batteries, chemicals or filters.

IPS KalyxX uses a patented Turbulent Galvanic Polarization (TGP®) electrode to disrupt the formation of limescale crystals on water heaters, showers, thermostatic cartridges, taps, etc. In side-by-side comparison testing, IPS KalyxX was four times more effective than the leading electronic or magnetic scale devices. IPS KalyxX is easy to install and maintenance free.



IPS KalyxX Industry

The use of IPS Industry is effective and suitable in any running water plant. Washing lines, restaurants, canteens, bakeries, laundries, hairdressers, dry cleaners, swimming pools, dairies, breweries, distilleries, gardening, irrigation systems and much more. It also works reliably in heat exchangers, water systems, boilers, condensers, generators, heating systems, compressor rooms, refrigeration and air conditioning equipment.

- Solution for apartment buildings and buildings with higher hourly flow.
- Suitable for direct water-to-water heat pump circuit with high output, for stabilization of wastewater purifier at values guaranteed by the producer.
- Installation at the entrance to the building.
- Cold water supply pipes for central heating at transfer stations and boiler rooms.
- Prevent clogging of plate heat exchangers and stabilize specific heat demand for hot water.
- Stabilization of point corrosion of storage heaters.







Technical parameters

IPS KalyxX Model RedLine / BlueLine	Connection	Diameter (mm)	Length (mm)	Weight (kg)	Max. Pressure (Bar / MPa)	Max. Flow (m³/hour)
Industry DN 40 IPSINRDN40P / IPSINBDN40P	flange	150	530	8,3	10 / 1	8
Industry 6/4" RP 64 IPSINRDN40 / IPSINBDN40	thread	114,3	506	4,9	10 / 1	8
Industry DN 50 IPSINRDN50P / IPSINBDN50P	flange	165	656	11	10 / 1	12
Industry 2" RP 2 IPSINRDN50 / IPSINBDN50	thread	114,3	640	5,7	10 / 1	12
Industry DN 65 IPSINRDN65P / IPSINBDN65P	flange	185	590	15,3	10 / 1	16
Industry DN 80 IPSINRDN80P / IPSINBDN80P	flange	200	607	19,5	10 / 1	24
Industry DN 100 IPSINRDN100P / IPSINBDN100P	flange	220	800	32	10 / 1	36
Industry DN 125 IPSINRDN125P / IPSINBDN125P	flange	250	955	48,5	10 / 1	54
Industry DN 150 IPSINDN150	flange	285	460	30	10 / 1	100



IPS WashBall

Effectively prevents corrosion and limescale creation

- Protects appliances from limescale.
- Easy to use, no chemical softeners.
- No maintenance required.











- LIMESCALE PROTECTION
- WATER SAVING
- HIGHER WASHING EFFICIENCY
- MONEY SAVING
- ENVIRONMENT FRIENDLY

For using in:
• WASHING MACHINES
• DISHWASHERS
• TOILET TANKS










IPS WashBall

IPS effectively prevents the formation of solid sediments and corrosion in cold and hot water appliances.

IPS WashBall is a flow-through body with inside placed turbine-shaped electrodes of two different electrically conductive materials. The electrode design is patent-protected (TGP® - Turbulent Galvanic Polarization) and generates a swirling water flow, causing a change in the structure of the minerals.

Our patented technology TGP® (Turbulent Galvanic Polarization) used in IPS WashBall transforms limescale structures from CALCITE to ARAGONITE. The scale does not settle but washes away.




Higher Washing Efficiency

It is proven with our internal tests and also by independent test (Clearview-USA) that washball has positive effects on Higher Washing Efficiency. During our test of Cotton /40 °C/60 ml washing gel we reach such a result.

- 100 % of tests were with the same or better results with using of WashBall.
- Average washing performance when using WashBall is 3,67% higher; highest efficiency achieved by black tea, the washing performance with WashBall was about 36,79% higher.
- If WashBall is used in standard washing, the effectiveness of the washing effect is usually increased (dependent on kind of contamination).
- The effect of using WashBall can be clearly recommended without negative side effects.



IPS WashBall Results, December 10, 2019



CTQ Metric	Soil Removal Performance						
Metric Weighting	20%	20%	20%	20%	20%	0%	
Which is Better?	Higher	Higher	Higher	Higher	Higher	Data	
Sample	Soil Removal - Red Wine (% Cleaning Eff.)	Soil Removal - Cocoa (% Cleaning Eff.)	Soil Removal - Blood (% Cleaning Eff.)	Soil Removal - Carbon (% Cleaning Eff.)	Soil Removal - Sebum (% Cleaning Eff.)	Soil Removal - Control (% Cleaning Eff.)	
Control Laundry Runs with no WashBall	34%	20%	17%	13%	35%	100%	
Laundry Runs with WashBall	34%	26%	19%	15%	38%	100%	
Metric Average	34%	23%	18%	14%	36%	100%	
Sample Size	3 Loads - 4 Samples per Load	3 Loads - 4 Samples per Load	3 Loads - 4 Samples per Load	3 Loads - 4 Samples per Load	3 Loads - 4 Samples per Load	3 Loads - 4 Samples per Load	

Best Performer per test

77 Amazon customer review



★★★★★ Super produit
Commenté en France le 27 mai 2021

Achat vérifié

J ai une eau très dure.

Et les photo parle d elles même.

Je suis très écolo dans ma machine je ne mettais qu une lessive que je fais et du vinaigre ,mais ma machine etait toujours pleine de tartre.

En 3 machines avec la boule le resultat est vraiment visible.

Je suis tres satisfaite 😄 😁 😁 😁









OptimFlushSystem

The new revolutionary solution for toilet and flushing

- The most efficient flushing system.
- No need for a concealed cistern installation.
- Adjustable water quantity
 1,5 2,5 4 I.
- Quiet operation low noise level of flushing.
- Higher water level very easy to clean.
- · Quick and easy installation.
- Tested for 200 000 cycles.
- CE certificated comply with EN997.





50% less water per flush



One piece solutio



No external energy

OptimFlush creates a next generation of the toilet. Tank less toilet without external power supply, with extremely low water consumption fulfilling the strictest parameters of current technical standards and regulations with focus on maximum simplicity and reliability of the system.

"All In One" philosophy puts the greatest emphasis on fast and easy installation and building readiness. The top priority is the final appearance.



Studio S Low Profile Studio S Toilet with OptimFlush System technology



OptimFlush System



OptimFlush System is suitable for both types of flushing

syphonic

(mainly Asia and USA)

• washdown (mainly Europe and Midle East)

OFS is unique system how to flush toilet using pressure which is taken from the pipes.

The pressured air with water is stored in the tanks inside toilet, ready to be released when needed.

The result is very efficient and silent flush, that can never be reached by using gravitation flushing (used in standard toilets in Europe).



Premiere of the Studio S toilet with OptimFlush technology at the KBIS 2020 trade fair in Las Vegas (USA).

Pictured from left: James Walsh (Marketing Director of American Standard), Mats Dannerstedt (SAT USA), Jaroslava Valová (founder of SIKO), Monika Vítová (CFO of the SIKO Group) and Ondřej Sochor (CEO of SAT).





Standing WC SAT OptimFlush rear waste SATOFSHFS2



Wellness Shower

with more features

Care for Health & Beauty

2in1

The Pedicure Shower is designed for the easy, safe and fast removal of hard skin on the feet. It can be done after every bath or shower and gently removed skin is immediately and cleanly washed away.

There is no need for an external source or mechanical power. Continuous rinsing with water provides gently care and the resulting effect. Combination with shower function provides the user with a more comprehensive 2 in 1 benefit.







Double-sided use 2in1

Shower + Pedicure Care







· Rain · Massage · Rain / Massage



Pedicure Care



PATENT PROTECTED

Pedicure Shower

Functions







Available four types of stone: rough, ordinary, medium and fine. Ordinary stone is included. Spare stones in the desired roughness can be purchased separately.





Technical data

Operating pressure: min. 0,2 MPa / max. 0,6 MPa* Recommended operating pressure: 0,22 - 0,4 MPa*

Hot water temperature: max. 60 °C

Water consumption depending on pressure:

Europe version water pressure	Flow
20PSI (0.14 MPa)*	6.73 l/m
40 PSI (0.28 MPa)*	9.80 l/m
60 PSI (0.41 MPa)*	12.07 l/m
80 PSI (0.55 MPa)*	14.11 l/m

^{*(1} MPa = 10 bars = 147 PSI)

Pedicure Shower SATWTSHS4



Minimal operating pressure 0,2 MPa (2 bars).

Water Improvement


Home Filter


with transparent container for quick check of insert condition

The filter is designed for connection to cold water and meets all requirements for effective filtration. Transparent body, allowing you to visually check the condition of the filter insert.

The head is fitted with brass 1" water inlet and outlet connections and a pressure relief valve to relieve pressure when the filter cartridge is replaced. O-ring for maximum impermeability.

Compatible with the vast majority of filter types on the market.





Home filter is designed for domestic and commercial use.



Maximum operating pressure **8 bar**



Minimum operating / Maximum working temperature 2 °C / 46 °C

Home Filter

Specifications:


Maximum operating pressure: 8 bar Minimum operating temperature: 2 °C Maximum working temperature: 46 °C

Dimensions: 32 x 10 cm




Package contains:

Filter body, mounting brackets, wrench.








Home filter 1/2" SATHF12 Home filter 1" SATHF1 Home filter 3/4" SATHF34 Cartridge for home filters 10 micrometers SATCPP1010MA Cartridge for home filters 5 micrometers SATCPP105MA 2 component filter cartridge 10 micron SATCPC1010M 2 component filter cartridge 5 micron SATCPC105M Filter insert with activated carbon SATUDF10A.4







DarkBrushed Gold



Sink faucet brushed gold SATBSDA280LBZ



High washbasin faucet brushed gold SATBSDA285PBZ



Washbasin faucet brushed gold SATBSDA271PBZ







Shower thermostatic mixer brushed gold SATBSDA268BZ





Bath thermostatic mixer brushed gold SATBSDA222BZ



Shower thermostatic system brushed gold SATDASSTKBZ



Shower rod brushed gold SATBSSTDABZ



Shower hose brushed gold SATBSHPDABZ



Shower holder brushed gold SATBSDPDABZ



Hand shower brushed gold SATBSRSDABZ



Dark Chrome



High washbasin faucet chrome SATBSDA285PCR



Washbasin faucet chrome SATBSDA271PCR



Sink faucet chrome SATBSDA280LCR



Sink faucet chrome SATBSDA280KCR



38 +1

Shower thermostatic mixer chrome SATBSDA268CR





Bath thermostatic mixer chrome SATBSDA222CR



Dark

PVD Gun Metal

16,4 cm 25,4 cm

High washbasin faucet PVD gun metal SATBSDA285K



High washbasin faucet PVD gun metal SATBSDA285P



Washasin faucet PVD gun metal SATBSDA271K



Washasin faucet PVD gun metal SATBSDA271P










Shower mixer without shower set PVD gun metal SATBSDA268





Shower hose PVD gun metal SATBSHPDA



Hand shower PVD gun metal SATBSRSDA



Shower holder PVD gun metal SATBSDPDA



Control knob PVD gun metal SATATDA



Wall mounted shower system with thermostatic mixer PVD gun metal SATDASSTK



Shower rod PVD gun metal SATBSSTDA





Basin mixer without waste black matt SATBSBW271



Shower mixer without shower set 150 mm black matt SATBSBW268



Basin mixer concealed black matt SATBSBW101



High basin mixer without spout black matt SATBSBW285



Bath mixer without shower set 150 mm black matt SATBSBW222



Bathtub mixer including basin mixer black matt SATBSBW215



Shower mixer incl. concealed mixer black matt SATBSBW210



Shower system with thermostatic mixer black SATBWSST



Shower system with thermostatic mixer black SATBWSSTK



Shower set black SATBSSSBW



Shower set concealed black SATBSPVSBW



Bath set black SATBSVSBW



Fusion



Washbasin mixer lever concrete SATBSFU271B



Washbasin mixer lever white glass SATBSFU271BS



Washbasin mixer lever light wood SATBSFU271DS



Washbasin mixer lever dark wood SATBSFU271DT



Washbasin mixer lever chrome SATBSFU271CP



Washbasin mixer lever chrome SATBSFU271TCH



Washbasin mixer lever chrome / black SATBSFU271TC



Washbasin mixer lever chrome SATBSFU271KPU



Washbasin mixer lever chrome SATBSFU271KPN



Washbasin mixer lever chrome / black SATBSFU271KPC



High spout lever concrete SATBSFU285B



High spout lever white glass SATBSFU285BS



High spout lever light wood SATBSFU285DS



High spout lever dark wood SATBSFU285DT



High spout lever chrome SATBSFU285CP



High spout lever chrome SATBSFU285TCH



High spout lever chrome / black SATBSFU285TC




High spout lever chrome SATBSFU285KPU



High spout lever chrome SATBSFU285KPN



High spout lever chrome / black SATBSFU285KPC









Bath mixer without shower set lever concrete SATBSFU222B

Bath mixer without shower set lever white glass SATBSFU222BS

Bath mixer without shower set lever light wood SATBSFU222DS

Bath mixer without shower set lever dark wood SATBSFU222DT



Bath mixer without shower set lever chrome SATBSFU222TCH



Bath mixer without shower set lever chrome SATBSFU222CP



Bath mixer without shower set lever chrome SATBSFU222TC



Bath mixer without shower set SATBSFU222KPN



Bath mixer without shower set SATBSFU222KPU



Bath mixer without shower set SATBSFU222KPC



Shower mixer without shower set lever concrete SATBSFU268B



Shower mixer without shower set lever white glass SATBSFU268BS



Shower mixer without shower set lever light wood SATBSFU268DS



Shower mixer without shower set lever dark wood SATBSFU268DT



Shower mixer without shower set lever chrome SATBSFU268CP



Shower mixer without shower set lever chrome SATBSFU268TCH



Shower mixer without shower set lever chrome SATBSFU268TC



Shower mixer without shower set SATBSFU268KPN



Shower mixer without shower set SATBSFU268KPU



Shower mixer without shower set SATBSFU268KPC



Taps

Evolution



Evolution Basin mixer SATBSEVO271



Evolution High basin mixer SATBSEVO285



Evolution Concealed bath mixer SATBSEVO215



Evolution Shower concealed mixer SATBSEVO210



Evolution Basin mixer concealed SATBSEVO101



Evolution Bath mixer SATBSEVO222



Evolution Shower mixer SATBSEVO268



Thermostatic bath mixer SATBST222





Thermostatic shower mixer SATBST268







Project Basin mixer SATBSPRO271



Project
Basin mixer with pop-up waste
SATBSPRO275



Project Sink mixer SATBSPRO280



Project Sink mixer with pull-out shower, 2 jets SATBSPRO283



Project Concealed bath mixer SATBSPRO215



Project Concealed shower mixer SATBSPRO210



Project Bath mixer SATBSPRO222



Project Shower mixer SATBSPRO268





Project Bidet mixer with pop-up waste set SATBSPRO235



Sink mixer with swivel arm 2 jets, chrome SIKOBSD284

Shower systems



Shower systems

with thermostatic mixer



Shower systems with thermostatic mixer



Shower systems

with lever mixer







1 function



2 functions



3 functions



4 functions



5 functions



Thermostatic mixer



Adjustable height



Rotatability (can be rotated sideways)

Shower systems

without mixer (connect to an existing mixer)



Shower system without mixer white / chrome SATPIPET







Shower bar 80 cm white / chrome SATSST31



Shower bar 80 cm black SATSST31C



Shower set with shelf white / chrome SATSSP31



Shower set 70 cm white/chrome SATSS33



Shower set 70 cm white / chrome SATSS34



Dark Shower rod PVD gun metal SATBSSTDA



Dark Shower rod brushed gold SATBSSTDABZ



B-Way Shower set black SATBSSSBW

3 functions with button

white / chrome

SATBSRS33

Showers



Shower 3 functions with button white / chrome SATBSRST31



Shower 3 functions with button chrome SATBSRST41





Shower 3 functions with button black / chrome SATBSRS33C



Shower 3 functions with button black SATBSRS34C







Dark

Shower 1 function

PVD Gun metal

SATBSRSDA



Dark Shower 1 function brushed gold SATBSRSDABZ



B-Way

Shower 3 functions

SATBSRSKBW



Head shower 1 function Ø 25,4 cm white / chrome SATBHS31



Head shower 1 function Ø 25,4 cm black / chrome SATBHS31C



Head shower 1 function Ø 25,4 cm black SATBSHS32C



B-Way Head shower 1 function 20 x 20 cm black SATBSHSBW



Head shower 1 function, selfcleaning function chrome SATBSHS41





Classic bathtubs - steel

Vivien





SATVIVI150
SATVIVI160
SATVIVI170
SATVIVI17075
(soundproofed)
SATVIVI150SIP
SATVIVI160SIP
SATVIVI170SIP
SATVIVI17075SIP

The water stays warm longer than in an acrylic bathtub.



Made of recyclable material, environmentally friendly.

Enameled steel

- combination of two natural substances glass and steel
- $\ensuremath{\bullet}$ steel is characterized by high strength and load capacity
- glass is decorated with great resistance to heat and chemical stress



Soundproof variants of Vivien Silent + significantly reduce the noise of the bath during the bath.



Sound insulation meets the strictest Swiss and German standards (SIA 181, DIN 4109 / A1).



Fusion






Bathtub Fusion	
150x70x41 cm	SIKOVR150
160x70x41 cm	SIKOVR160
170x70x41 cm	SIKOVR170
Cover panels	
Cover panels 150x70x41 cm	RP1500
	RP1500 RP1600
150x70x41 cm	







Cast acrylate

SURPRISINGLY LARGE INTERIOR

• Slim hems and a greater slope of the side walls give the bathtub a large interior space for a pleasant bath.

Classic bathtubs - acrylic

COMFORTABLE AND SAFE SHOWERING


• The wide interior space, flat bottom and the addition of a bath screen guarantee a safe shower while standing.

THE IDEAL SOLUTION FOR A SMALLER BATHROOMS

 The width of only 70 cm saves space in the bathroom, the shape of the bathtub allows it to be supplemented with any type of bathtub screen.



Quality material - Cast acrylate is used to make bathtubs. Products made of it retain their desired shape for a long time, they do not warp or crack. They have a high-gloss and non-porous surface that is easy to clean and has antibacterial properties.




Classic bathtubs - acrylic


Savero








Bathtub Savero		190 - PMMA 170 - + + 5 150 + mm
160 x 75 x 40 cm	SAV1600PLUS	
170 x 75 x 40 cm	SAV1700PLUS	
180 x 75 x 40 cm	SAV1800PLUS	



Mika








SATMIKA1500PLUS

Bathtub Mika		230 =
$150 \times 70 \times 40 \text{ cm}$	SATMIKA1500PLUS	
160 x 70 x 40 cm	SATMIKA1600PLUS	
170 x 70 x 40 cm	SATMIKA1700PLUS	
180 x 80 x 40 cm	SATMIKA1800PLUS	

Prices are without legs NOHYVA

Freestanding bathtubs - cast marble Zita





Made from cast marble

170 x 88 x 56 cm

Freestanding bath tub Zita 170 \times 88 cm cast marble

ZI1700




Freestanding bathtubs - cast marble

Mirabel









Made from cast marble

162 x 78,6 x 57,5 cm

Freestanding bathtub Mirabel 162 x 79 cm cast marble

SATMRB160




SAT | Swiss Aqua Technologies


Freestanding bathtubs - cast marble Lesly














M	Made from
IVI	cast marble


Freestanding batht cast marble	ub Lesly 170 x 8	32 cm	350
170 x 82 x 55 cm	LE1700	white	
170 x 82 x 55 cm	SATLE1700C	black	

Freestanding bathtubs - cast marble

Nelly












L	1750mm	
20mm		↓ ·
105mm	Tricin Bries	111
†	1460mm	

M	Made IIOIII
IVI	cast marble
Free	standing bathtub Nelly 175 x 82 cm

cast marble			
175 x 82 x 55 cm, left	NEL1700L	white	
175 x 82 x 55 cm, right	NEL1700P	white	
175 x 82 x 55 cm, left	SATNEL1700LC	black	
175 x 82 x 55 cm, right	SATNEL1700PC	black	




Freestanding bathtubs - cast marble

Lola










Freestanding bathtub Lola 159 x 70 cm cast marble $159.2 \times 70.5 \times 63 \ \text{cm} \qquad \text{SATLOL160}$



Monroe









Made from cast marble

Freestanding bathtub Monroe 107 x 73 cm cast marble




107,3 x 73 x 79,1 cm SATMON150

Freestanding bathtubs - cast marble Miranda









Made from cast marble

Freestanding bathtub Miranda 180 x 83 cm cast marble




1802 x 83,2 x 69,3 cm SATMRN180 1802 x 83,2 x 69,3 cm SATMRN180PRE

Katy








Free acry	ding l	oathtub Katy 160 x 75 cm	225


Freestanding bathtubs - acrylic

Dua










170 x 75 x 57,5 cm SATDUA1700

Zara New







Freestanding bathtub Zara 170 x 70 cm acrylic



Bathtub accessories



Automatic bathtub 52 mm DN40/DN50 chrome metal SATAVAP1

Automatic bathtub 52 mm DN40/DN50 white gloss metal SATAVAP0

Automatic bathtub 52 mm DN40/DN50 black matt metal SATAVAP8



Automatic bathtub 52 mm DN40/DN50 chrome metal SATAVA1



DARK Automatic bathtub 52 mm DN40/DN50 PVD Gun metal SATAVADA



Automatic bathtub 52 mm DN40/DN50 white gloss metal SATAVA0




Automatic bathtub 52 mm DN40/DN50 black matt metal SATAVA8





Bathtub screens




Bath screen 150x80 cm chrome EasyClean 8 mm SIKOTGVZ150




Bath screen Walk-In Xmotion 150x117 cm chrome EasyClean 8 mm SATWIXMVZ150

Bathtub screens




Bathtub screen 150x80 cm chrome EasyClean 8 mm SIKOVZPEV150



Bath screen Walk-In Xmotion 150x117 cm black EasyClean 8 mm SATWIXMVZ150C

Bathtub screens



Bathtub screen chrome EasyClean 8 mm 150 x 70 cm SATVZUNIKCRT70 150 x 75 cm SATVZUNIKCRT75



Bathtub screen 150x105 cm EasyClean 8 mm chrome SATVZSK105 black SATVZSK105C






Shower systems

Bathtubs

Bathroom accessories







Choose your Walk-In in four steps:

1 Glass

Walk-In - Shower enclosure transparent, smoked glass (KS), matt glass (MS), grid (MR)					
† cm	\leftrightarrow	6.4	↓		
Ţ cm	cm	8	† mm		
80x200	77-77,5	✓	8	SIKOWI80	
80x200	77-77,5	✓	8	SIKOWI80KS	
80x200	77-77,5	✓	8	SIKOWI80MS	
80x200	77-77,5	✓	8	SIKOWI80MR	
90x200	87-87,5	✓	8	SIKOWI90	
90x200	87-87,5	✓	8	SIKOWI90KS	
90x200	87-87,5	\checkmark	8	SIKOWI90MS	
90x200	87-87,5	\checkmark	8	SIKOWI90MR	
100×200	97-97,5	\checkmark	8	SIKOWI100	
100×200	97-97,5	\checkmark	8	SIKOWI100KS	
100×200	97-97,5	✓	8	SIKOWI100MS	
100×200	97-97,5	✓	8	SIKOWI100MR	
110x200	107-107,5	\checkmark	8	SIKOWI110	
110x200	107-107,5	\checkmark	8	SIKOWI110KS	
110×200	107-107,5	✓	8	SIKOWI110MS	
110×200	107-107,5	✓	8	SIKOWI110MR	
120x200	117-117,5	\checkmark	8	SIKOWI120	
120x200	117-117,5	\checkmark	8	SIKOWI120KS	
120x200	117-117,5	✓	8	SIKOWI120MS	
35x200	117-117,5	✓	8	SIKOWI120MR	
140×200	137-137,5	✓	8	SIKOWI140	
140×200	137-137,5	✓	8	SIKOWI140KS	
140×200	137-137,5	✓	8	SIKOWI140MS	

2 Fixing arm

Accessories - black Accessories - chrome	SIKOZAV1C SIKOZAV2	
Accessories - black	SIKOZAV2C	
Accessories - chrome	SIKOZAV3	
Accessories - black	SIKOZAV3C	
Accessories - chrome	SIKOZAV4	
Accessories - black	SIKOZAV4C	
Accessories - white	SATZAV1B	
Accessories - gold	SATZAV1Z	
Accessories - PVD gun metal	SATZAV1GM	



Walk-In

3 Mounting system - Profile / Hinges / Special profile for accessories

Profile - Side profile 2 m + bottom bar 1.6 m + mounting package

Profile set for Walk-In			
chrome profile	SIKOWIPROFIL		
black profile	SIKOWIPROFILC		
white profile	SATWIPROFILB		
PVD gun metal profile	SATWIPROFILGM		
gold profile	SATWIPROFILZ		
SIKOWIPROFIL		_	
		_	_
SIKOWIPROFILC SATWIPROFILB			
SIKOWIPROFILC			
SIKOWIPROFILC SATWIPROFILB			

Hinge - Hinges + bottom bar 1.6 m + mounting package

Hinge set for Walk-I		
chrome hinges	SATWIPANT	
black hinges	SATWIPANTC	





Recommended combining with shower trays, more on pages 98 - 101.

3c Special profile for hanging accessories + bottom rail 1.6 m + mounting package







Special profile for Walk-In accessories

SATWIDOPLPROFILC black

SATWIDOPLPROFILCR chrome

3d Accessories for special profile





Adjustable mirror	
SATWIDOPLZRCC	black
SATWIDOPLZRCCR	chrome



black	
white	



Shelf - box		
SATWIDOPLBOXC	black	
SATWIDOPLBOXB	white	

4 Optional accessories

4a Swivel side wall - profile system





4b Swivel side wall - hinge system

↑ cm	\$	<u>↓</u>	
35x200 cm	\checkmark	8	SIKOWIROZPANT
35x200 cm	✓	8	SIKOWIROZPANTC
35x200 cm	✓	8	SIKOWIROZPANTCKS
35x200 cm	√	8	SIKOWIROZPANTKS



4c Hooks on glass





SATWIHACEK	chrome
SATWIHACEKC	black



black

4d Towel bar



Towel bar 138 cm Walk-In black SATWIDOPLTYCC



Towel bar 138 cm Walk-In SATWIDOPLTYC











Hanging shelf transparent SATPOLPLASTT








Choose your Walk-In Xmotion in five steps:





2 Fixing arm



The arm is 120 cm long and has joints at both ends, thanks to which you can use it at an angle. The arm can be shortened as desired.

Fixing arm (1 piece in package)				
chrome	SATWIXMZAV120			
black	SATWIXMZAV120C			

Side profile + lower bar + handle + mounting package



4 Special profile for the niche (necessary to buy)




5 Side wall



77,5x200 cm	chrome	SATWIXMSTENA80CR
87,5x200 cm	chrome	SATWIXMSTENA90CR
87,5x200 cm	black	SATWIXMSTENA90C
77,5x200 cm	black	SATWIXMSTENA80C










Shower stall quadrant - Tex (without handrail and sidewall) chrome profile transparent glass (T)/ glass strips (S), 🖳 R 550

‡ cm		⇔ em	<u>∱</u> cm	↓ ↑ mm	\$	
80x80x	190	77-79	45.8	6	\checkmark	SIKOTEXS80CRT
80x80x	190	77-79	45.8	6	✓	SIKOTEXS80CRS
90x90x	190	87-89	56.7	6	✓	SIKOTEXS90CRT
90x90x	190	87-89	56.7	6	✓	SIKOTEXS90CRS
100×100	×190	97-99	56.7	6	\checkmark	SIKOTEXS100CRT



ţ cm	⇔ cm	<u>∱</u>	↓ ↑ mm	\$	
80x80x190	77-79	43.3	6	\checkmark	SIKOTEXQ80CRT
80x80x190	77-79	43.3	6	\checkmark	SIKOTEXQ80CRS
90x90x190	87-89	50.4	6	\checkmark	SIKOTEXQ90CRT
90x90x190	87-89	50.4	6	\checkmark	SIKOTEXQ90CRS
100×100×190	97-99	57.5	6	\checkmark	SIKOTEXQ100CRT





Lowered shower stall Tex - only 170 cm tall

Shower enclosure quarter-circle 90x90x170 cm SAT TEX chrome glossy SIKOTEXS90CRS170



We recommend a acrylic deep tray RO90HL0



Shower tub, Rondo quadrant, 90x90x28 cm RO90HL0



SIKOMADLO1 SIKOMADLO2


Hand-rails for Tex shower sta	II / Wall-integrated profile
handle 1, chrome	SIKOMADLO1
handle 2, chrome	SIKOMADLO2
handle 3, chrome	SIKOMADLO3
extension profile 30 mm	NDTEXROZP
























buildability



input dimensions







Tex - barrier-free entrance



Shower stall square - Tex BB (without handrail and tray) chrome profile transparent glass

‡ cm	←→ cm	<u>∱</u> cm	↓ ↑ mm	\$	
80x80x195	77-79	40,3	6	✓	SATTEXQBB80CRT
90x90x195	87-89	47,4	6	✓	SATTEXQBB90CRT
100×100×195	97-99	54 5	6	√	SATTEXOBBIOOCRT

Shower stall square - Tex BB (without handrail and tray) black profile transparent glass

‡ cm	←→ cm	<u>∱</u>	↓ ↑ mm	\$	
80x80x195	77-79	40,3	6	✓	SATTEXQBB80CT
90x90x195	87-89	47,4	6	\checkmark	SATTEXQBB90CT
100×100×195	97-99	54,5	6	\checkmark	SATTEXQBB100CT



Shower stall quarter circle - Tex BB (without handrail and tray) chrome profile rtransparent glass

			-		
↑ cm	←→ cm	<u>∱</u> cm	↓	\$	
80x80x195	77-79	40,5	6	✓	SATTEXSBB80CRT
90x90x195	87-89	53,5	6	\checkmark	SATTEXSBB90CRT
100×100×195	97-99	55,5	6	✓	SATTEXSBB100CRT

Shower stall quarter circle - Tex BB (without handrail and tray) black profile rtransparent glass

↑ cm	←→ cm	<u>∱</u> cm	↓ ↑ mm	\$	
80x80x195	77-79	40,5	6	✓	SATTEXSBB80CT
90x90x195	87-89	53,5	6	\checkmark	SATTEXSBB90CT
100×100×195	97-99	55,5	6	\checkmark	SATTEXSBB100CT

Sliding shower door - Tex BB (without handrail and tray) chrome profile rtransparent glass

‡ cm	cm	∱ ↑	↓ ↑ mm	\$	
100xx195	97-101	40,4	6	✓	SATTEXDBB100CRT
120x120x195	117-121	50,4	6	\checkmark	SATTEXDBB120CRT
140×140 ×195	137-141	60,4	6	√	SATTEXDBB140CRT

Sliding shower door - Tex BB (without handrail and tray) black profile transparent glass

↑ cm	←→ cm	<u>∱</u>	↑ mm	\$	
100xx195	97-101	40,4	6	\checkmark	SATTEXDBB100CT
120x120 x195	117-121	50,4	6	\checkmark	SATTEXDBB120CT
140x140 x195	137-141	60,4	6	\checkmark	SATTEXDBB140CT



Hand-rails for Tex shower stall

	waii-ii itegrateu pi	onie
SIKOMADLO3	handle 1, chrome	SIKOMADLO1
MAD	handle 2, chrome	SIKOMADLO2
2	handle 2, black	SIKOMADLO2C
<i>(</i>)	handle 3, chrome	SIKOMADLO3
	extension profile 30 mm	NDTEXROZP



Shower door Tex



Shower doors sliding - Tex (without handrail and sidewall) chrome profile transparent glass (T)

‡ cm	←→ cm	<u>∱</u>	↓ ↑ mm	\$	
100x195	97-101	41,9	6	\checkmark	SIKOTEXD100CRT
120x195	117-121	51,9	6	\checkmark	SIKOTEXD120CRT
140x195	137-141	61,9	6	√	SIKOTEXD140CRT



Shower doors single-leaf - Tex revolving (without handrail and sidewall) chrome profile rtansparent glass (T)

↑ em	←→ cm	cm	† ↑ mm	\$	
80x195	77-81		6	✓	SIKOTEXP80CRT
90x195	87-91		6	\checkmark	SIKOTEXP90CRT
100x195	97-101		6	✓	SIKOTEXP100CRT



Side screen for shower doors (SIKOTEXD, SIKOTEXL, SIKOTEXP) chrome profile transparent glass (T)

† cm	† ↑ mm	\$	
80x195	6	✓	SIKOSTENATEXD80
90x195	6	\checkmark	SIKOSTENATEXD90
100x195	6	\checkmark	SIKOSTENATEXD100



Shower doors double-leaf - Tex revolving (without handrail and sidewall) chrome profile F transparent glass (T)

† cm	⇔ cm	∱ t cm	† mm	\$	
80x195	77-81		6	✓	SIKOTEXL80CRT
90x195	87-91		6	\checkmark	SIKOTEXL90CRT
100x195	97-101		6	√	SIKOTEXL100CRT





Sliding shower doors - Tex (without handrail) chrome profile popaque glass (Grape)


↑ cm	←→ cm	<u>∱</u>	† ↑ mm	\$	
80x195	77-81		6	\checkmark	SIKOTEXE80CRG
90x195	87-91		6	\checkmark	SIKOTEXE90CRG
100x195	97-101		6	\checkmark	SIKOTEXE100CRG
110×195	107-111		6	\checkmark	SIKOTEXE110CRG
120x195	117-121		6	\checkmark	SIKOTEXE120CRG






	Hand-rails for Tex shower stall / Wall-integrated profile							
n	handle 1, chrome	SIKOMADLO1						
2	handle 2, chrome	SIKOMADLO2						
MA	handle 3, chrome	SIKOMADLO3						
N N	extension profile 30 mm	NDTEXROZP						
















Barrier-free entrance.

For shower tray see pages 98 - 101.



Top Glass New






Shower stall -Top Glass New chrome profile transparent glass (T), R R 550							
	‡ cm	←→ em	<u>∱</u>	↓ ↑ mm	\$		
	90x90	88-88,5		8	\checkmark	SIKOTGS90CRT	
	100×100	98-98,5		8	√	SIKOTGS100CRT	





Shower doors single-leaf ,revolving (without a side wall) chrome profile transparent glass (T) adjustability (N) niche (R) corner								
ţ cm	$N \overset{\Longleftrightarrow}{\underset{cm}{\longleftrightarrow}} R$	↓ ↑ mm	\$					
80x195	76-76,5	8	\checkmark	SIKOTGD80CRT				
90x195	86-86,5	8	\checkmark	SIKOTGD90CRT				
100×195	96-96,5	8	\checkmark	SIKOTGD100CRT				
Profile required for r	niche location	SIKOPROFILTGD						









Stream





Stream	
chrome profile	ransparent glass (T), R 550

↓ cm	←→ cm	<u>∱</u>	<u>↓</u>	\$		
90x90	87-89	73	8	✓	SIKOSTREAMS90CRT	
extension profile 25 mm					NDUNIVROZP	















Folding shower door



- Combination of two doors SIKOSK ** + SIKOSK ** you get a square or a rectangle (eg 90x90, 100x80 etc)
- when using a door into a niche, a special profile is required SIKOPROFILSK + SIKOSK**
- C combination of shower doors and fixed walls SIKOSTENASK** + SIKOSK**











Side wall fixed

			The state of the s					
nower doors foldable chrome profile transparent glass (T)								
↑ cm	↓	\$						
80×195	6	✓	SIKOSK80					
80x195	6	\checkmark	SIKOSK80S					
90x195	6	\checkmark	SIKOSK90					
90x195	6	\checkmark	SIKOSK90S					
100x195	6	\checkmark	SIKOSK100					

SIKOSK100S


↑ cm	† mm	\$	
80x195	6	√	SIKOSTENASK80
80x195	6		SIKOSTENASK80S
90x195	6		SIKOSTENASK90
90x195	6	√	SIKOSTENASK90S
100x195	6	\checkmark	SIKOSTENASK100
100x195	6	\checkmark	SIKOSTENASK100S
profile for niche - clear glass (T) profile for niche - glass strips (S)			T) SIKOPROFILSK
			(S) SIKOPROFILSKS
extension prof	ile, 25 m	nm	NDUNIVROZP

100x195


Cast marble trays



Shower tray cast marble black						
	80 x 80 x 3	SATALEK80Q				
	90 x 90 x 3	SATALEK90Q				




Shower tray cast marble grey						
80 x 80 x 3	SATALEK80QS					
90 × 90 × 3	SATALEK90QS					



 Shower tray cast marble white

 80 × 80 × 3
 SATALEK80QB

 90 × 90 × 3
 SATALEK90QB



Shower tray cas	t marble grey 🖳 R 550	
80 x 80 x 3	SATALEK80SS	
90 x 90 x 3	SATALEK90SS	



Shower tray cast	t marble white 🕟 R 550	
80 x 80 x 3	SATALEK80SB	
90 x 90 x 3	SATALEK90SB	



Shower tray cast marble black R R 550

SATALEK80S

SATALEK90S

80 x 80 x 3

90 x 90 x 3

Shower tray cast marble black		
100 x 80 x 3	SATALEK10080	
120 x 80 x 3	SATALEK12080	
140 x 80 x 3	SATALEK14080	
160 x 80 x 3	SATALEK16080	
100 x 90 x 3	SATALEK10090	
120 x 90 x 3	SATALEK12090	
140 × 90 × 3	SATALEK14090	
160 x 90 x 3	SATALEK16090	



Shower tray cast	marble grey
100 x 80 x 3	SATALEK10080S
120 × 80 × 3	SATALEK12080S
140 × 80 × 3	SATALEK14080S
100 x 90 x 3	SATALEK10090S
120 x 90 x 3	SATALEK12090S
140 × 90 × 3	SATALEK14090S



Shower tray cast marble white		
100 x 80 x 3	SATALEK10080B	
120 x 80 x 3	SATALEK12080B	
140 x 80 x 3	SATALEK14080B	
100 x 90 x 3	SATALEK10090B	
120 x 90 x 3	SATALEK12090B	
140 x 90 x 3	SATALEK14090B	










Including siphon, without legs.

The black trays have a black waste cap.
White and grey have a waste cap in brushed stainless steel.



Cast marble trays





Shower tray cast marble R 550		
80 x80 x 3	LIMNEW80S	
90 x 90 x 3	LIMNEW90S	
90 x 90 x 3	LIMNEW90S500	
100 x 100 x 3	LIMNEW100S	

Shower tray panel quarter-round LIMP80S, LIMP90S, LIMP100S



Including legs, without siphon Ø 90 mm Recommended: (E484CR90, ESLIMCR90, ETURTBO90)









Shower tray cast marble			
	80 x 80 x 3	LIMNEW80Q	
	90 x 90 x 3	LIMNEW90Q	
	100 × 100 × 3	LIMNEW100Q	

Shower tray panel LIMP80Q, LIMP90Q, LIMP100Q **85,00** €



Including legs, without siphon Ø 90 mm Recommended: (E484CR90, ESLIMCR90, ETURTBO90)









Shower tray panel LIMP10080L, LIMP10080P, LIMP10090L, LIMP10090P, LIMP12080L, LIMP12080P, LIMP12090L, LIMP12090P



Including legs, without siphon Ø 90 mm Recommended: (E484CR90, ESLIMCR90, ETURTBO90)

Shower tray cast marble				
100 x 80 x 3	LIMNEW10080			
120 x 80 x 3	LIMNEW12080			
140 × 80 × 3*	LIMNEW14080	the facing panel for this tray is not made		
160 x 80 x 3*	LIMNEW16080	the facing panel for this tray is not made		
100 x 90 x 3	LIMNEW10090			
120 x 90 x 3	LIMNEW12090			
140 × 90 × 3*	LIMNEW14090**	the facing panel for this tray is not made		
160 x 90 x 3*	LIMNEW16090**	the facing panel for this tray is not made		





Cast marble trays

with covered waste



 Shower tray cast marble R R 550

 80 x 80 x 3
 SIKOLIMCC80S


 90 x 90 x 3
 SIKOLIMCC90S

 100 x 100 x 3
 SIKOLIMCC100S

Panel for quarter-round bath SAT LIMCC acrylic SIKOLIMCCPS



Pack includes tray + corner cap + feet + ESLIM90 siphon








Shower tray cast marble		
80 x 80 x 3	SIKOLIMCC80Q	
90 x 90 x 3	SIKOLIMCC90Q	
100 v 100 v 2	SIKOLIMCC1000	

Panel for square bath SAT LIMCC acrylic 80 + 90 cm SIKOLIMCCP8090Q 100 cm SIKOLIMCCP100Q



Pack includes tray + corner cap + feet + ESLIM90 siphon






Shower tray cast marble		
100 x 80 x 3	SIKOLIMCC10080	
100 x 90 x 3	SIKOLIMCC10090	
120 x 80 x 3	SIKOLIMCC12080	
120 x 90 x 3	SIKOLIMCC12090	
140 x 80 x 3	SIKOLIMCC14080	
140 x 90 x 3	SIKOLIMCC14090	

Panel for square bath SAT LIMCC acrylic 100 x (80 + 90 cm) 120 x (80 + 90 cm) SIKOLIMCCP8090Q 140 x (80 + 90 cm) SIKOLIMCCP140Q



Pack includes tray + corner cap + feet + ESLIM90 siphon






Shortenable shower trough







Shortenable length 30-100 cm. Including grate, siphon and strainer. Freely rotating siphon with drain DN 40 and 50. Adjustable height according to the floor thickness. Easy and fast installation.











Brevis



Brevis Washbasin square 50,5 × 40 × 14 cm, SATBRE5040S 60x 45 × 13 cm, SATBRE6045S 70 × 45 × 13,5 cm, SATBRE7045S



₩ 2.5/4.

Brevis Wall-mounted WC including softclose, rear waste SATBRE010RREXP



∠ 5 % ± 2,5/4,5|

Brevis Wall-mounted WC including softclose, rear waste SATBREO11RREXP



Brevis Washbasin round 50 x 38,5 x 12 cm SATBRE5038R





Brevis Toilet combi set vario waste SATBREO31RREXVP





Brevis Toilet combi sets vario waste, bottom inlet SATBREO31RREXVPSN



Brevis Washbasin square 40,5 x 20,5 x 10,5 cm right SATBRE4020SR left SATBRE402OSL



Brevis Washbasin round 43 x 30 x 13 cm without overflow SATBRE4330R



Brevis Toilet combi set including softclose washbasin, vario waste SATBRE030RREXVP





Cemento Concrete washbasins



Tondato countertop washbasin 42 x 42 x 15 cm, concrete, terracotta CEM4242T



Tondato countertop washbasin 42 x 42 x 15 cm, concrete, anthracite CEM4242A



Tondato countertop washbasin 42 x 42 x 15 cm, concrete, grey CEM4242TS



Tola countertop washbasin 64 x 37 x 14 cm, concrete, terracotta CEM6437T



Tola countertop washbasin 64 x 37 x 14 cm, concrete, anthracite CEM6437A



Tola countertop washbasin 64 x 37 x 14 cm, concrete, grey CEM6437TS



Ronda countertop washbasin 65 x 35 x 15 cm, concrete, terracotta CEM6535T



Ronda countertop washbasin 65 x 35 x 15 cm, concrete, anthracite CEM6535A



Ronda countertop washbasin 65 x 35 x 15 cm, concrete, grey CEM6535TS



Flow-through basin spout terracotta
PZATKACT




Flow-through basin spout grey
PZATKACTS



Flow-through basin spout grey
PZATKACS



Flow-through basin spout anthracite PZATKACA



Taps

Infinitio





Infinitio Countertop washbasin without tap hole 61,5 x 36 x 15,5 cm





SATINF61536BKM








SATINF5040





















Infinitio





Washbasin 1204x465x130 mm SATINF12046

Washbasin 1204x465x130 mm

SATINF212046

LSK (Infinitio



Infinitio



Infinitio Wall hung WC rim-ex 48 cm, softclose, glossy white SATINF010RREXP



Infinitio Wall hung WC rim-ex 48 cm, softclose, white matt SATINF010RREXPWM



Infinitio Wall hung WC rim-ex 48 cm, softclose, grey matt SATINF010RREXPLGRM



Infinitio Wall hung WC rim-ex 48 cm, softclose, black matt SATINF010RREXPBKM



Infinitio Wall hung WC rim-ex 54 cm, softclose, glossy white SATINF011RREXP



Infinitio Wall hung WC rim-ex 54 cm, softclose, black matt SATINF011RREXPBKM



Infinitio Wall hung WC rim-ex 54 cm with softclose tray bidet function SATINF011RREXPBFC



Infinitio Wall hung WC rim-ex 54 cm with softclose tray bidet function, thermostat SATINF011RREXPBFCT



Infinitio Wall hung WC rim-ex 52 cm, softclose, glossy white SATINF012SREXP



Infinitio Wall hung WC rim-ex 52 cm, softclose, black matt SATINF012SREXPBKM




















Pre-wall installation system

Application


For mounting in front of a support wall or in to a plasterboard construction. For installation of wall-hung WC pans with a connecting pitch of 180 mm or 230 mm. For floor thickness 0–200 mm. For wall-hung WC.

Features

- · Dual flush independently adjustable with hygienic reserve
- · Compatible with all SAT flush plates
- The construction of polystyrene insulation prevents condensation forming on the surface of the tank and dampens the vibrations from the tank into the building structure
- The frame allows the anchoring to a separate sufficiently strong plasterboard partition, in front of the bearing wall
- The service opening cover simplifies assembly and prevents the penetration of moisture and impurities
- Frame material: powder-coated metal
- · Installation depth adjustable from 20-95 mm
- · Suitable for installation of remote or sensor flushing
- Possibility of tilting the cistern for easy installation in wooden construction buildings or mobile cells
- The cistern is made of one piece, thus ensuring 100% impermeability
- The installed module is covered with a plasterboard panel and there is no need for any additional fixing or anchoring elements
- Adjustable anchor feet and a spring-lock system, with a range of 0–200 mm
- · Dispenser for WC cistern tablets included
- Sliding rail holder for the waste connector can be set to eight positions between 0–93 mm
- Prepared for connecting a bracket with a DG 1/2" conversion for bidet seats and sprays
- · Water supply from the rear/top
- Angle valve with the ability to connect to the Mepla piping system
- · Maintenance work without using any tools
- Installation depth 125 mm
- · Visible marks for both leveling and the centerline
- Cistern hinges made of two-component material insulate the transmission of vibrations from buildings



Pre-wall instalation system for dry build up (plasterboard) SATAMS




Pre-wall instalation system for dry build up (plasterboard) SATAMSK








The system contains a toilet tablet dispenser



Flush plates







plastic white gloss SATAT20



gloss

SATAT21

plactic black

plastic black matt SATAT68



plastic white/chrome gloss r SATAT70 S



plastic chrome matt SATAT71



plastic white-matt/ chrome gloss SATAT76



plastic black matt SATAT78



Dark PVD gun metal SATATDA



Dark Siphon for washbasin PVD gun metal SATAUSDA



Dark Outlet for washbasin click-clack 5/4 PVD gun metal SATAVCDA



Dark Flow outlet PVD gun metal SATAVPDA



Siphon for washbasin 5/4 chrome SIFM



Double valve for connection to bidet shower and toilet chrome 1209-04-B



Bidet mixer including basin mixer chrome SATBSPBHT



Bidet mixer including basin mixer chrome SATBSPBKT





Evolution R









chrome SATDUNI21



Glass holder including glass chrome/milk glass SATDEVOR27



Soap dispenser chrome/milk glass SATDEVOR99







chrome/milk glass SATDEVOR88



Soap dish chrome/milk glass SATDEVOR39





SATDEVOR60




Toilet paper holder chrome SATDEVOR26



chrome/milk glass SATDEVOR37











chrome SATDUNI21



milk glass SATDEVOSSKL

chrome

SATDEVOSP02



Soap dispenser chrome/milk glass SATDEVOSDAV

chrome

SATDEVOSP03





Soap dish milk glass



Holder Holder







SATDEVOSMYD



Holder chrome SATDEVOS01



Holder chrome

Holder chrome





Toilet paper holder chrome SATDEVOS26





Toilet brush chrome/milk glass SATDEVOS37





Simply R









Hook chrome SATDUNI2

Soap dish

SATDSIMRMYD



Glass holder chrome/milk glass SATDSIMR27



Glass milk glass SATDSIMRSKL







chrome/milk glass

SATDSIMR99

Soap dispenser



Soap dispenser chrome/milk glass SATDSIMRDAV



Toilet paper holder chrome



Toilet brush chrome/milk glass SATDSIMR37



Simply R PVD gun metal







Hook PVD gun metal SATDUNI21GM



Glass soap dispenser PVD gun metal/milk glass SATDSIMR99GM



Soap dispenser PVD gun metal/milk glass SATDSIMRDAVGM





Glass milk glass SATDSIMRSKL



Glass holder PVD gun metal/milk glass SATDSIMR27GM



Soap dish milky glass SATDSIMRMYD






Toilet paper holder PVD gun metal SATDSIMR26GM



Toilet brush PVD gun metal/milk glass SATDSIMR37GM







Simply S









Hook chrome SATDSIMS21



Glass holder including glass chrome/milk glass SATDSIMS27



Soap dish chrome/milk glass SATDSIMS39







Glass holder with soap dispenser chrome/milk glass SATDSIMS48



Soap dispenser chrome/milk glass SATDSIMS99





Toilet brush chrome/milk glass SATDSIMS37







Towel Holder chrome SATDSIMS23













Hook black matt SATDBWAYS21



Toilet paper holder black matt SATDBWAYS26



Towel holder 60 cm black matt SATDBWAYS23



Towel rail black matt SATDBWAYS07



Toilet brush square

SATDSTETKAHMC

black matt

Toilet brush square black matt SATDBWAYS37



Waste bin square 6 I black matt SATDKOSH6C

Taps

B-Way R









Hook black matt SATDBWAYR21



Glass holder black matt SATDBWAYR27



Soap dispenser black matt SATDBWAYR99









Toilet paper holder black matt SATDBWAYR26



Towel holder 60 cm black matt SATDBWAYR23



Toilet brush round black matt SATDBWAYR37



Toilet brush round black matt SATDSTETKAKMC



Waste bin round 3 I black matt SATDKOS3C Waste bin round 5 I black matt SATDKOS5C

Cube Way







Hook SPI21





Doble glass holder SPI47



Soap dish SPI39









Soap dispenser SPI99


Toilet paper holder SPI25

Double hook SPI22

Toilet paper holder / shelf Triple hook DRZTOALPOLSKLOC SPI33







Toilet paper holder SPI28

Toilet paper holder SPI26

Towel holder, 45,5 cm 2 level, SPI19 3 level, SPI20



Toilet brush



Towel holder 40 cm SPI31 60 cm SPI95





Project









Hook chrome SATDPROJ21



Soap dish chrome/milk glass SATDPROJ39



Glass holder including glass chrome/milk glass SATDPROJ27



Soap dispenser chrome/white SATDPROJ99







Towel holder chrome SATDPROJ61





Toilet brush chrome/milk glass SATDPROJ37



chrome SATDPROJ26



chrome SATDPROJ18







Hook, self-adhesive black matt SATDMOOD21MC



Glass holder, self-adhesive black matt SATDMOOD27MC



Soap dispenser, self-adhesive black matt SATDMOOD99MC



Glass holder, self-adhesive chrome SATDMOOD27CH





Soap dispenser, self-adhesive chrome
SATDMOOD99CH



Toilet paper holder self-adhesive black matt SATDMOOD26MC

Hook, self-adhesive

chrome SATDMOOD21CH



Towel holder, self-adhesive black matt SATDMOOD23MC



Toilet paper holder self-adhesive chrome SATDMOOD26CH



Towel holder, self-adhesive SATDMOOD23CH





Adhesive hooks









Hook, self-adhesive black HACEKNALEP1HMC



Double hook, self-adhesive black HACEKNALEP2HMC



Hook, self-adhesive black HACEKNALEP1KMC



Double hook, self-adhesive black HACEKNALEP2KMC



Hook, self-adhesive stainless steel HACEKNALEP1H



Double hook, self-adhesive stainless steel HACEKNALEP2H



Triple hook, self-adhesive stainless steel HACEKNALEP3H



Quadruple hook, self-adhesive stainless steel HACEKNALEP4H



Hook, self-adhesive stainless steel HACEKNALEPIK



Double hook, self-adhesive stainless steel HACEKNALEP2K



Triple hook, self-adhesive stainless steel HACEKNALEP3K



Quadruple hook, self-adhesive stainless steel HACEKNALEP4K

Sensor soap dispensers and disinfectants



Sensor soap and disinfectant dispenser black SATDDAVC



Sensor soap and disinfectant dispenser white SATDDAVB





Infinitio freestanding accessories







Infinitio ceramics - white				
Soap dispenser	SATDINFI99BI			
Soap dish	SATDINFI39BI			
Brush holder	SATDINFI27BI			
Toilet brush	SATDINFI37BI			



Infinitio ceramics - gray			
Soap dispenser	SATDINFI99SE		
Soap dish	SATDINFI39SE		
Brush holder	SATDINFI27SE		
Toilet brush	SATDINFI37SE		



Infinitio ceramics - black				
Soap dispenser	SATDINFI99CE			
Soap dish	SATDINFI39CE			
Brush holder	SATDINFI27CE			
Toilet brush	SATDINFI37CE			



Infinitio ceramics - beige			
Soap dispenser	SATDINFI99BE		
Soap dish	SATDINFI39BE		
Brush holder	SATDINFI27BE		
Toilet brush	SATDINFI37BE		



Infinitio ceramics - p		
Soap dispenser	SATDINFI99RU	
Soap dish	SATDINFI39RU	
Brush holder	SATDINFI27RU	
Toilet brush	SATDINFI37RU	



Infinitio ceramics	Infinitio ceramics - turqouise		
Soap dispenser	SATDINFI99TY		
Soap dish	SATDINFI39TY		
Brush holder	SATDINFI27TY		
Toilet brush	SATDINFI37TY		



Recommended for Infinito washbasins (pages 110 - 111) and Infinito bath mats (138).

Freestanding accessories

Lavender



Soap dispenser SATDLAVE99



Tumbler SATDLAVE27



Soap dish SATDLAVE39



Cotton jar SATDLAVE55



Toilet brush SATDLAVE37

Boho



Soap dispenser SATDBOHO99ZE



Tumbler SATDBOHO27ZE



Soap dish SATDBOHO39ZE



Cotton jar SATDBOHO55ZE



Toilet brush SATDBOHO37ZE

Magic



Soap dispenser SATDMAGIC99



Tumbler SATDMAGIC27



Soap dish SATDMAGIC39



Cotton jar SATDMAGIC55



Toilet brush SATDMAGIC37

Geometry



Soap dispenser SATDGEOM99 **4,66 €**



Tumbler SATDGEOM27 **3,33 €**



Soap dish SATDGEOM39 **3,33 €**



Cotton jar SATDGEOM55 **4,66 €**



Toilet brush SATDGEOM37 9,99 €

Freestanding accessories

Ella



Soap dispenser SATDELLA99BI



Tumbler SATDELLA27BI



Soap dish SATDELLA39BI



Toilet brush SATDELLA37BI

Vit



Soap dispenser VIT99



Tumbler VIT27



Soap dish VIT39



Toilet brush VIT37

Mido



Soap dispenser MIDO99



Tumbler MIDO27



Soap dish MIDO39



Brush holder MIDO11



Waste bin MIDO01



Toilet brush MIDO37

Azul



Soap dispenser AZUL99



Tumbler AZUL27



Soap dish AZUL39



Brush holder AZUL11



Waste bin AZUL01



Toilet brush AZUL37

Bela



Soap dispenser BELA99



Tumbler BELA27



Soap dish BELA39



Brush holder BELA11



Tray BELA55



Toilet brush BELA37

Shower shelves









Shelf 30 cm chrome SATDPOL30CH

Shelf 20 cm chrome SATDPOL20CH





Shelf 30 cm black SATDPOL30MC



Shelf 20 cm black SATDPOL20MC







Shelf chrome/white SATDPOLCHB



Shelf chrome/black SATDPOLCHC







Corner shelf Corner shelf chrome/white SATDPOLROHMC SATDPOLROHCHB

Corner shelf chrome/black SATDPOLROHCHC

X-Way shower shelves





Choose your X-Way shelf in three steps:





Shelf white SATDXWPOL50B



Corner shelf white SATDXWPOLR21B



Shelf black SATDXWPOL50C



Corner shelf SATDXWPOLR21C



white SATDXWPOL30B,*



Corner shelf white SATDXWPOLR23B*



black SATDXWPOL30C,*



Corner shelf SATDXWPOLR23C *

2 Brackets



chrome



SATDXWW1CH



Brackets for shelf chrome SATDXWW2CH



Brackets for shelf black SATDXWW1MC





Brackets for shelf black SATDXWW2MC



Brackets for shelf PVD gun metal

SATDXWW1GM





Brackets for shelf PVD gun metal SATDXWW2GM

3 Wiper

(can be used in shelves marked with *)



X-Way glass wiper SATDXWSTERKACH ×



X-Way glass wiper SATDXWSTERKAMC ×



Universal accessories











Hook for wiper SATDSTERKAMC self-adhesive black matt SATDHACEK3MMC



Silicone wiper including hook black matt SATDSTERKASHSC



Glass wiper chrome SATDSTERKA



Hook for wiper SATDSTERKA self-adhesive chrome SATDHACEK3M



Glass wiper with hook chrome SATDSTERKAHCH







Sliding adjustable shelf for bathtub bamboo POLICEVANBA



Handrail SATDMADUNIRLP



Handrail SATDMADUNI

Universal accessories







Shower stool freestanding plastic white SATSTOLPLASTB



Shower stool freestanding plastic black SATSTOLPLASTC



Shower stool freestanding plastic transparent SATSTOLPLASTT



Hanging hook black matt SATWIHACEKC stainless steel SATWIHACEK



Hanging hook for shower screen SAT Walk-In plastic clear SATWIHACEKPLAST plastic black



Hanging shelf transparent SATPOLPLASTT



Hanging towel holder SATDZAVDRZRUC



white SATDSEDB







Infinitio bath mats







Bathroom mat dark grey 50 x 80 cm SATDPRED01SC



Bathroom mat beige 50 x 80 cm SATDPRED02BE



Bathroom mat purple 50 x 80 cm SATDPRED03FI



Bathroom mat dark green 50 x 80 cm SATDPRED04TZ



Bathroom mat light grey 50 x 80 cm SATDPRED05SS



Bathroom mat yellow 50 x 80 cm SATDPRED06ZL

Laundry baskets







Laundry basket white SATDKOSPRBB



Laundry basket natural SATDKOSPRBN



Laundry basket grey SATDKOSPRBS





Laundry basket black SATDKOSPRTC1

natural



Laundry basket black SATDKOSPRTC2



Laundry basket grey SATDKOSPRTS1







Laundry basket grey SATDKOSPRS









Contacts

Head Office

Swiss Aqua Technologies AG

Gewerbestrasse 9 6330 Cham Switzerland

www.swatec.ch



SAT Sales Representatives



Mats Dannerstedt
Partner – VP sales & Marketing
Export - Central and North America
+1 949 302 0869
matsdannerstedt@gmail.com



Michal Kolda
Partner – VP sales & Marketing
Export - Europe
+420 606 233 076
michal.kolda@swatec.ch



Pavel Prokeš
Partner - Export
Export - South Europe and South Americ:
+420 601 322 817
pavel.prokes@sikoes.eu



Dima Švec
Export – Central and Eastern Europe
+420 739 387 377
dima sver@siko.cz



Alp Eralp
Export – Middle East and India
+90 532 543 37 91
alperalp@sanitarycontacts.com



Marek Dabrowski
Export – Asia
+86 137 0258 1956
marek@mf-mafen.com



David Bratrsovsky
Export – Australia
+61 401631135
david.bratrsovsky@swatec.ch

Certificates













Awards





Studio S Low Profile

Studio S Toilet with OptimFlush System technologie



swatec.ch